




"ZZ" denotes finish, "FR" denotes flow rate

Item	Model	Description	Links
1	SH-177-8.FR-ZZ	8" Ultra-Thin Square Showerhead	<a href="#">Specification Sheet</a>
2	SH-572-ZZ	Square Shower Arm	<a href="#">Specification Sheet</a>
3	HS-72.FR-ZZ	Contemporary Handshower	<a href="#">Specification Sheet</a>
4	9128R-ZZ	Slide Bar Handshower Kit	<a href="#">Specification Sheet</a>
5	BS-77-ZZ	Self-Cleaning Jet Body Spray	<a href="#">Specification Sheet</a>
6	TO-THFN-77-ZZ	StyleTherm® 3/4" Thermostatic Trim Only	<a href="#">Specification Sheet</a>
7	TO-77-W-ZZ	Wall or Deck Handle Trim Only	<a href="#">Specification Sheet</a>





California Faucets®

# SHOWERHEAD

8" SQUARE CONTEMPORARY


## Features

- 1/2" FIP inlet
- 8" square face
- Self-cleaning rubber jets
- Solid brass construction
- Over 30 finishes including 15 PVD finishes
- Replace .FR with desired flow rate:
  - SH-177-8.15 for 1.5 gpm
  - SH-177-8.18 for 1.8 gpm
  - SH-177-8.20 for 2.0 gpm
  - SH-177-8.25 for 2.5 gpm



## Codes/Standards

Product meets or exceeds the following:

- ASME A112.18.1/CSA B125.1
- CEC (2.0, 1.8, 1.5 gpm)
- DOE (2.5, 2.0, 1.8, & 1.5 gpm)
- Commonwealth of MA



SH-177-8.15  
 SH-177-8.18  
 SH-177-8.20  
 SH-177-8.25






### Features

- Over 30 finishes including 14 PVD finishes
- Solid brass construction
- 1/2 FIP inlet, 1/2 MIP outlet
- 2-1/4" square solid brass flange
- For additional product offerings, see [www.californiafaucets.com](http://www.californiafaucets.com)


### Codes/Standards Applicable

Meets or exceeds the following at date of manufacture:


- ASME A112.18.1/CSA B125.1



# SH-572



RECOMMENDED THROUGH-HOLE SPECIFICATIONS		
	MIN	RECOMENDED
SHOWER ARM:	$\phi 1-1/16$	$\phi 1-1/4$



ALL DIMENSIONS SHOWN TO NEAREST 1/16"



### Features

- Available in 28 finishes including 13 PVD finishes
- All brass construction
- Self-cleaning rubber jets
- Replace .FR with desired max flow rate:  
     HS-72.25 for 2.5 gpm  
     HS-72.20 for 2.0 gpm  
     HS-72.18 for 1.8 gpm



HS-72.25  
 HS-72.20  
 HS-72.18



### Codes/Standards Applicable

Product meets or exceeds the following:

- ASME A112.18.1/CSA B125.1
- CEC (2.0 & 1.8 gpm)
- DOE (2.5, 2.0, & 1.8 gpm)
- Commonwealth of MA




Dimensions are inches, rounded to 1/16"  
 [Dimensions in brackets are mm, rounded to 1mm]

Specifications subject to change without notice



"ZZ" denotes finish

Item	Model	Description	Links
1	SH-10-72-ZZ	Decorative Supply Elbow	<a href="#">Specification Sheet</a>
2	SB-72-ZZ	Wall Mounted Slide Bar	<a href="#">Specification Sheet</a>
3	HS-68-ZZ	68" Brass Hose for Handshower	<a href="#">Specification Sheet</a>







California Faucets®

# Morro Bay™

## STYLETHERM 3/4" THERMOSTATIC TRIM ONLY

### Features




- All brass construction
- 100° F safety stop button with manual override
- 5-1/4" square faceplate; flat profile
- Engraved brass temperature ring
- Over 30 finishes including 15 PVD finishes

### Codes/Standards Applicable

Product meets or exceeds the following:

- ASME A112.18.1/CSA B125.1
- ASSE 1016
- ADA compliant

## TO-THFN-77



ALL DIMENSIONS SHOWN TO NEAREST 1/16"



California Faucets®


# Morro Bay™

## WALL OR DECK HANDLE TRIM ONLY

### TO-77-W



#### Features

- Base dimension 2-1/4" x 2-1/4"
- Use for wall stop, wall diverter or deck diverter
- Solid brass construction
- Rough valve sold separately (50-W-R, 75-W-R, WDV-R, DDV-R)
- Over 30 finishes including 15 PVD finishes



#### Codes/Standards Applicable

- Product meets or exceeds the following:
- ASME A112.18.1/CSA B125.1



ALL DIMENSIONS SHOWN TO NEAREST 1/16"